

PRODUCT DESCRIPTION

GIMME5 FLUO is made of Polyurethane and has a brilliant neon finish. It can be heat applied on organic or synthetic fibers in just four seconds. This product is easy to work with; the sticky polyester carrier allows for fast weeding and easy repositioning of details that might have accidentally been removed. It is also soft and comfortable to wear, even with bulky designs. Its thickness (90 micron) and its elasticity make GIMME5 FLUO pleasant and soft on any garment, and ideal for multi-layer applications. GIMME5 FLUO can withstand wash cycles up to 60°C.

APPLICATION TECHNIQUES

- Knockout
- Multi-layer, suggested up to 5 layers
- Layering with other products

APPLICATION STEPS

- Cut - 45° blade
- Weed excess material
- Turn on your heat press - heat to 140°C/285°F
- Place your graphic on the garment
- Press it - 140°C/285°F for 4 seconds
- Remove the liner - hot

SIZES

H 50 cm L 25 mt / 12,5mt / 5 mt / 1 mt

H 75 cm L 25 mt (upon request)

H 100 cm L 25 mt (upon request)


H 150 cm L 25 mt (upon request)


Oeko-Tex
Standard 100
Class I





Comply with
regulation REACH
n°1907/2006/EU

TECHNICAL DATA


 Film: PU/polyurethane


 Thickness: 90μ (±5%)


 Liner: adhesive PET

 Finish: opaque


PLOTTER SETTING


 Cut settings: mirror


 Blade: 45°


 Minimum cut: 0,1 cm


APPLICATION

 Temperature: 140°C - 285°F

 Time: 4''

 Liner removal: hot

 Pressure: medium - 3,5 bar - 50 PSI


 Textile: organic, synthetic, mixed

WASH RESISTANCE

First wash after application *wait 12 hours*

Max wash temperature 60°C - 140°F

Dry clean 

Dryer 

SAFETY NOTICE

The values reported in this document are average values as tested under normal conditions in our lab. We cannot provide a guarantee regarding the information abovementioned in this page. Due to possible variations in the production of garments, B-FLEX recommends testing the material prior to all applications. Rev_2021/03

GIMMES FLUO

COLOUR GUIDE



- Neon effect withstand more than 100 wash cycles
- Application in only 4 seconds
- Easy to weed

GIMME 5



FIVE FLU020A
NEON YELLOW



FIVE FLU030A
NEON ORANGE



FIVE FLU040A
NEON PINK



FIVE FLU050A
NEON GREEN



FIVE FLU046A
NEON BLUE

