

## PRODUCT DESCRIPTION

The BF GLITTER series is made up of covering polyurethane films with glitter included into the working process. This type of processing guarantees the smooth, shiny and glittered effect at the same time. The semi-gloss thermo-adhesive makes the cutting line highly visible and its adhesive polyester backing allows for quick weeding and easy repositioning of accidentally removed characters. The 100-micron thickness and its elasticity make the BF GLITTER series pleasant to the touch and conformable on any fabric and suitable for multilayer applications. It is resistant to washing up to 60°C.

## APPLICATION TECHNIQUES

- Knockout
- Multi-layer, suggested up to 2 layers
- Layering with other products

## APPLICATION STEPS

- Cut - 45° blade
- Weed excess material
- Turn on your heat press - heat to 145°C/295°F
- Place your graphic on the garment
- Press it - 145°C/295°F for 10 seconds
- Remove the liner - hot

## SIZES





<b>H 50 cm</b>	L 25 mt / 12,5mt / 5 mt / 1 mt
<b>H 75 cm</b>	L 25 mt (upon request)
<b>H 100 cm</b>	L 25 mt (upon request)
<b>H 150 cm</b>	L 25 mt (upon request)

Comply with regulation **REACH** n°1907/2006/EU




## SAFETY NOTICE

The values reported in this document are average values as tested under normal conditions in our lab. We cannot provide a guarantee regarding the information abovementioned in this page. Due to possible variations in the production of garments, B-FLEX recommends testing the material prior to all applications. Rev\_2021/03






## TECHNICAL DATA

	Film: PU/polyurethane
	Thickness: 100μ (±5%)
	Liner: adhesive PET
	Finish: gloss

## PLOTTER SETTING

	Cut settings: mirror
	Blade: 45°
	Minimum cut: 0,3 cm

## APPLICATION

	Temperature: 145°C - 295°F
	Time: 10''
	Liner removal: hot
	Pressure: medium - 3,5 bar - 50 PSI
	Textile: organic, synthetic, mixed

## WASH RESISTANCE


First wash after application	wait 12 hours
Max wash temperature	60°C - 140°F
Dry clean	✗
Dryer	✓

## BF GLITTER


### COLOUR GUIDE




- *Extra brilliant effect*
- *Soft touch: pleasant and soft on any garment*
- *Washable up to 60°C*



**BF G700A**  
WHITE GLITTER



**BF G796A**  
SILVER GLITTER




**BF G792A**  
GOLD GLITTER




**BF G728A**  
LEMON YELLOW GLITTER




**BF G734A**  
ORANGE GLITTER




**BF G730A**  
RED GLITTER




**BF G736A**  
PINK GLITTER



**BF G770A**  
PURPLE GLITTER



**BF G740A**  
ROYAL BLUE GLITTER



**BF G710A**  
BLACK GLITTER

