

SloanLED Global Limited Warranty

Terms and Conditions

SloanLED is committed to providing defect free products that will perform trouble-free. All SloanLED facilities are ISO 9001 registered and maintain strict quality assurance standards. Within the terms of this Limited Warranty, all SloanLED products are warranted to meet the performance criteria outlined in the written specification/data sheets and be free of defects in material and workmanship. This Limited Warranty only applies to the original owner at the time of the initial installation of the product and is non-transferable. This Limited Warranty is in effect for the Warranty Period of each product listed on the attached schedule. The Warranty Period is based on the manufacturing date code of the product and begins on the date of the manufacturing date code.

The determination of whether a product is defective shall be made by SloanLED in its reasonable discretion with consideration given to the overall performance of the product. If a Product has been deemed defective in its materials or workmanship, SloanLED will repair or replace (at SloanLED's sole discretion) the defective product at no charge, excluding labor. SloanLED reserves the right to use similar, new, reconditioned, refurbished, repaired or remanufactured product or parts in the limited warranty solution process. This shall be the customer's sole remedy with respect to any SloanLED products. The aggregate remedy for any claim shall not exceed the total amount of the purchase price for the defective product. Under no circumstances will SloanLED be required to give a refund. The cost of labor or administration is not included under this Limited Warranty.

This Limited Warranty only applies to reasonable indoor and outdoor usage of the product in commercial applications, when properly installed by a licensed electrician in accordance with the instructions from SloanLED. Any defect in a product arising out of the product's unreasonable use shall not be covered by this Limited Warranty. For example, operating conditions of/for the product must not exceed temperatures or other exposures outside the range of the product's rated limits set by SloanLED. This Limited Warranty does not cover damage or failure caused in part by improper installation, use, operation, storage, maintenance, acts of God, extreme weather, lightning strikes, power surges, induced vibration, civil unrest, vandalism, general wear or aging, mechanical and power connections, or any circumstances that are not applicable to the reasonable use of the product. General wear or aging is not considered a product defect if it does not result in inoperable conditions. A product shall not be considered defective solely as a result of the failure of individual LED components contained in the product to emit light if the number of inoperable components is less than fifteen (15%) of the total number of LED components in the product. This Limited Warranty is automatically voided by the use of non-approved third party controls, power supplies or any other manufacturer's components, or if the product is used outside of its intended applications or for the stated purpose or conditions for which it is designed, as stated in SloanLED's written data sheets and installation instructions.

For replacement/repair service of an alleged defective product under this Limited Warranty, the original owner at the time of the initial installation of the product must contact SloanLED for a Return Material Authorization (RMA) number and provide SloanLED with the original contractual documents for the purchase of the product. RMA numbers may be obtained by calling customer service at (888) 747-4533 in North America, +1 (805) 676-3200 Worldwide or +31 88 12 44 900 in Europe. Information and troubleshooting assistance is also available at these numbers. For Lighting Systems products installed within the United States, contact Service@SloanLED.com or 805-351-4922.

Once an RMA number is obtained, the alleged defective product shall be returned (at the customer's expense) directly to SloanLED or the location designated by SloanLED at the time the RMA is issued. The product must be returned within thirty (30) days of RMA issuance for the RMA to remain valid. All shipping boxes and packing slips must be marked with the valid RMA number.

If a solution for the alleged defective product is required immediately, the customer may order (at their own expense) the replacement product required to solve the immediate issue from SloanLED. If the customer purchases an immediate replacement of a product from SloanLED that is found to be defective and covered by this Limited Warranty, SloanLED will issue a credit for the replacement product and standard shipping. If the product that is returned with the RMA is found to be a defective product and covered by this Limited Warranty, SloanLED will provide the remedy outlined in this Limited Warranty and any replacement product will be provided with standard shipping (free of charge). If the product that is returned with the RMA is not found to be defective product by SloanLED, SloanLED will return the product to the customer at the customer's expense.

SLOANLED MAKES NO OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE), OTHER THAN AS SET FORTH IN THIS LIMITED WARRANTY. THIS LIMITED LIABILITY DOES NOT COVER, AND UNDER NO CIRCUMSTANCE SHALL SLOANLED BE LIABLE FOR, ANY INCIDENTAL OR CONSEQUENTIAL LOSS OR DAMAGE WHATSOEVER ARISING OUT OF OR IN ANY WAY RELATED TO ANY DEFECT IN OR NON-PERFORMANCE OR IMPROPER PERFORMANCE OF THE PRODUCTS. IF ANY TERM OR PROVISION OF THIS LIMITED WARRANTY IS INVALID, ILLEGAL, OR UNENFORCEABLE IN ANY JURISDICTION, SUCH INVALIDITY, ILLEGALITY, OR UNENFORCEABILITY WILL NOT AFFECT ANY OTHER TERM OR PROVISION OF THIS LIMITED WARRANTY OR INVALIDATE OR RENDER UNENFORCEABLE SUCH TERM OR PROVISION IN ANY OTHER JURISDICTION.

SloanLED Global Limited Warranty Period Schedule

Lighting Systems

Outdoor Commercial Lighting

Cairo Floodlight

| Product Description | Part No. | Duration |
|-------------------------|-----------|-----------|
| Cairo Floodlight, 50 W | CAFL-50U | 60 Months |
| Cairo Floodlight, 100 W | CAFL-100U | 60 Months |
| Cairo Floodlight, 150 W | CAFL-150U | 60 Months |

Detroit

| Product Description | Part No. | Duration |
|------------------------------|---------------|-----------|
| Detroit, SC Wall Pack, 45 W | LCG-WPSC-45W | 60 Months |
| Detroit, SC Wall Pack, 70 W | LCG-WPSC-70W | 60 Months |
| Detroit, SC Wall Pack, 100 W | LCG-WPSC-100W | 60 Months |
| Detroit, SC Wall Pack, 150 W | LCG-WPSC-150W | 60 Months |

MODUS SmartBAY™ Wireless Control System

| Product Description | Part No. | Duration |
|---------------------|----------|-----------|
| Sensor | 701986 | 36 Months |
| Controller | 601000 | 36 Months |

Optimus

| Product Description | Part No. | Duration |
|---------------------|-------------|-----------|
| Optimus, 60 W | LCG-SB-60W | 60 Months |
| Optimus, 100 W | LCG-SB-100W | 60 Months |
| Optimus, 150 W | LCG-SB-150W | 60 Months |
| Optimus, 200 W | LCG-SB-200W | 60 Months |
| Optimus, 300 W | LCG-SB-300W | 60 Months |
| Optimus 2, 60 W | LCA-SB-60W | 60 Months |
| Optimus 2, 100 W | LCA-SB-100W | 60 Months |
| Optimus 2, 150 W | LCA-SB-150W | 60 Months |
| Optimus 2, 200 W | LCA-SB-200W | 60 Months |
| Optimus 2, 300 W | LCA-SB-300W | 60 Months |

PDL3 MODUS

| Product Description | Part No. | Duration |
|---------------------------------|-------------------------|------------|
| PDL3 MODUS, 75 W, 4000 K | 701948-4WTWT3-M75(XX) | 120 Months |
| PDL3 MODUS, 75 W, 5000 K | 701948-5WTWT3-M75(XX) | 120 Months |
| PDL3 MODUS, 150 W, 4000 K | 701948-4WTWT3-M150(XX) | 120 Months |
| PDL3 MODUS, 150 W, 5000 K | 701948-5WTWT3-M150(XX) | 120 Months |
| PDL3 MODUS, Clear | 701948-5WCWT3-M | 120 Months |
| PDL3 MODUS, Textured | 701948-5WTWT3-M | 120 Months |
| PDL3 MODUS HO, Clear, White | 701948-5WCWT3-MH | 120 Months |
| PDL3 MODUS HO, Textured, White | 701948-5WTWT3-MH | 120 Months |
| PDL3 MODUS HO, Clear, Bronze | 701948-5WCBZ3-MH | 120 Months |
| PDL3 MODUS HO, Textured, Bronze | 701948-5WTBZ3-MH | 120 Months |
| PDL3 MODUS HO, 4000 K, White | 701948-4WTWT3-MH200(XX) | 120 Months |
| PDL3 MODUS HO, 4000 K, Bronze | 701948-4WTBZ3-MH200(XX) | 120 Months |
| PDL3 MODUS HO, 5000 K, White | 701948-5WTWT3-MH200(XX) | 120 Months |
| PDL3 MODUS HO, 5000 K, Bronze | 701948-5WTBZ3-MH200(XX) | 120 Months |
| 75 W EU/ROW Canopy PS Kit | MOD1.1 / 601071 | 120 Months |
| 150 W EU/ROW Canopy PS Kit | MOD1.2 / 601072 | 120 Months |
| 200 W EU/ROW Canopy PS Kit | MOD1.3 / 601073 | 120 Months |
| 75 W NA Canopy PS Kit | MOD2.1 / 601074 | 120 Months |
| 150 W NA Canopy PS Kit | MOD2.2 / 601075 | 120 Months |
| 200 W NA Canopy PS Kit | MOD2.3 / 601076 | 120 Months |
| 75 W NA Walk-in Cooler PS Kit | MOD3.1 / 601077 | 120 Months |
| 150 W NA Walk-in Cooler PS Kit | MOD3.2 / 601078 | 120 Months |
| 200 W NA Walk-in Cooler PS Kit | MOD3.3 / 601079 | 120 Months |
| 75 W NA Surface Mount PS Kit | MOD4.1 / 601080 | 120 Months |
| 150 W NA Surface Mount PS Kit | MOD4.2 / 601081 | 120 Months |
| 200 W NA Surface Mount PS Kit | MOD4.3 / 601082 | 120 Months |

PDL3 MODUS (cont.)

| Product Description | Part No. | Duration |
|---|-----------------|------------|
| 75 W EU/ROW Surface Mount PS Kit | MOD4.4 / 601088 | 120 Months |
| 150 W EU/ROW Surface Mount PS Kit | MOD4.5 / 601089 | 120 Months |
| 200 W EU/ROW Surface Mount PS Kit | MOD4.6 / 601090 | 120 Months |
| 75 W NA Retrofit PS Kit | MOD5.1 / 601083 | 120 Months |
| 150 W NA Retrofit PS Kit | MOD5.2 / 601084 | 120 Months |
| 200 W NA Retrofit PS Kit | MOD5.3 / 601085 | 120 Months |
| 75 W Dimming Controller | 601092 | 60 Months |
| 150 W Dimming Controller | 601093 | 60 Months |
| 200 W Dimming Controller | 601094 | 60 Months |
| Mounting Plate | 401568-700 | 120 Months |
| Mounting Plate, Bronze | 401568-700MH | 120 Months |
| Shoobox Mounting Plate | 401397 | 120 Months |
| Shoobox Mounting Plate, Bronze | 401397-BZ | 120 Months |
| Blank Plate | 401219 | 120 Months |
| Blank Plate, Bronze | 401219-BZ | 120 Months |
| 1-10 V Connector Cable | 410168 | 60 Months |
| EU Waterproof Junction Box | 701952-EU | 60 Months |
| PDL3 Retrofit Kit for LSI Scottsdale Fixtures | 702001 | 12 Months |

PDL3 MODUS Mini

| Product Description | Part No. | Duration |
|------------------------------|-----------------------|------------|
| PDL3 MODUS Mini, 75 W Power | 701948-(X)WTWT3-MM75 | 120 Months |
| PDL3 MODUS Mini, 150 W Power | 701948-(X)WTWT3-MM150 | 120 Months |

PetroLuma

| Product Description | Part No. | Duration |
|-------------------------|------------|-----------|
| PetroLuma, Canopy, 95 W | LCG-GS-95W | 60 Months |

PML3 Paladin

| Product Description | Part No. | Duration |
|--|-----------------|-----------|
| PML3, 200 W, Large, (ALL) | PML3-200L-(ALL) | 60 Months |
| PML3, 160 W, Large, (ALL) | PML3-160L-(ALL) | 60 Months |
| PML3, 120W, Large, (ALL) | PML3-120L-(ALL) | 60 Months |
| PML3, 90 W, Medium, (ALL) | PML3-90M-(ALL) | 60 Months |
| PML3, 60 W, Medium, (ALL) | PML3-60M-(ALL) | 60 Months |
| PML3, 40 W, Medium, (ALL) | PML3-40M-(ALL) | 60 Months |
| PML3, 30 W, Medium, (ALL) | PML3-30M-(ALL) | 60 Months |
| PML3, 60 W, Small, (ALL) | PML3-60S-(ALL) | 60 Months |
| PML3, 40 W, Small, (ALL) | PML3-40S-(ALL) | 60 Months |
| PML3, 30 W, Small, (ALL) | PML3-30S-(ALL) | 60 Months |
| 3" Square Pole Tenon Kit, Large (All finishes) | 601100-(ALL) | 60 Months |
| 2 3/8" Square Pole Tenon Kit (All finishes) | 601102-CC-(ALL) | 60 Months |
| 2 3/8" Round Pole Tenon Kit (All finishes) | 601017-CC-(ALL) | 60 Months |

PML4

| Product Description | Part No. | Duration |
|---------------------------|-----------------|-----------|
| PML4, 200 W, Large, (ALL) | PML4-L200-(ALL) | 60 Months |
| PML4, 150 W, Large, (ALL) | PML4-L150-(ALL) | 60 Months |
| PML4, 120 W, Medium (ALL) | PML4-M120-(ALL) | 60 Months |
| PML4, 90 W, Medium (ALL) | PML4-M090-(ALL) | 60 Months |
| PML4, 60 W, Small (ALL) | PML4-S060-(ALL) | 60 Months |

SloanLED Global Limited Warranty Period Schedule

Lighting Systems

Outdoor Commercial Lighting (cont.)

Pole Mount Light 2A

| Product Description | Part No. | Duration |
|--|---------------|-----------|
| Pole Mount Light 2A | 701955-5WXAX2 | 60 Months |
| Pole Mount Light 2A, Motion Sensor | 701955-5WXAM2 | 60 Months |
| Pole Mount Light 2A, Motion Sensor, Photocell Socket | 701955-5WXAB2 | 60 Months |
| Square Pole Tenon Kit | 601102 | 60 Months |
| Round Pole Tenon Kit | 601017 | 60 Months |
| Photocell Socket | 401763 | 60 Months |

Pole Mount Light 2B

| Product Description | Part No. | Duration |
|------------------------------------|---------------|-----------|
| Pole Mount Light 2B | 701955-5WSBX2 | 60 Months |
| Pole Mount Light 2B, Motion Sensor | 701955-5WSBM2 | 60 Months |
| Square Pole Tenon Kit | 601102 | 60 Months |
| Round Pole Tenon Kit | 601017 | 60 Months |

Portland

| Product Description | Part No. | Duration |
|------------------------------|--------------|-----------|
| Portland, FC Wall Pack, 45 W | LCG-WPFC-45W | 60 Months |
| Portland, FC Wall Pack, 70 W | LCG-WPFC-70W | 60 Months |

Progressive Down Light

| Product Description | Part No. | Duration |
|--------------------------|---------------|-----------|
| Progressive Down Light | 701948 | 60 Months |
| Progressive Down Light 2 | 701948-5WSWT2 | 60 Months |
| Progressive Down Light 3 | 701948-5WCWT3 | 60 Months |
| Progressive Down Light 3 | 701948-5WTWT3 | 60 Months |
| 150 W, Power Supply | 701932 | 60 Months |
| 140 W, Power Supply | 701950 | 60 Months |
| 100 W, Power Supply | 701950-100X1 | 60 Months |
| 115 W, Power Supply | 701950-115X1 | 60 Months |
| 125 W, Power Supply | 701950-125X1 | 60 Months |
| 100 W, Power Supply | 701950-100Y1 | 60 Months |
| 75 W, Power Supply | 701950-075Y1 | 60 Months |
| Junction Box | 701952 | 60 Months |
| Mounting Box | 601022 | 60 Months |
| Dimming Controller | 701958 | 60 Months |
| Dimming Controller | 701969 | 60 Months |
| Occupancy Sensor | 701953 | 60 Months |

Progressive Wall Light

| Product Description | Part No. | Duration |
|------------------------|---------------|-----------|
| Progressive Wall Light | 701959-5WXBR1 | 60 Months |

Progressive Pole Mount Light

| Product Description | Part No. | Duration |
|--------------------------------|-----------------|-----------|
| Pole Mount Light, 140 W, (ALL) | 701955-5WX(ALL) | 60 Months |
| Pole Mount Light, 115 W, (ALL) | 701955-5WX(ALL) | 60 Months |
| 140 W, Power Supply | 701932 | 60 Months |
| 140 W, Power Supply | 701950-36 | 60 Months |
| 115 W, Power Supply | 701950-115X2 | 60 Months |
| Square Pole Tenon Kit | 601102 | 60 Months |
| Round Pole Tenon Kit | 601017 | 60 Months |
| Adapter, Round Pole | 401189 | 60 Months |

Skyline

| Product Description | Part No. | Duration |
|----------------------|---------------|-----------|
| Skyline, 2', 20 W | LCG-2T-20W-DC | 60 Months |
| Skyline, 4', 40 W | LCG-4T-40W-DC | 60 Months |
| Skyline, 4', 50 W | LCG-4T-50W-DC | 60 Months |
| Suspension Cable Kit | LCG-4T-SC | 60 Months |

Solarta

| Product Description | Part No. | Duration |
|----------------------------|--------------|-----------|
| Solarta, Flood Light, 45 W | LCG-FL-45W | 60 Months |
| Solarta, Flood Light, 70 W | LCG-FL-70W | 60 Months |
| Trunnion Mount | LCG-TRUNNION | 60 Months |

SurfLite 1

| Product Description | Part No. | Duration |
|---------------------|------------|-----------|
| SurfLite 1, 35 W | LCG-CP-35W | 60 Months |
| SurfLite 1, 45 W | LCG-CP-45W | 60 Months |
| SurfLite 1, 65 W | LCG-CP-65W | 60 Months |

Twilight

| Product Description | Part No. | Duration |
|---------------------|-------------|-----------|
| Twilight, 30 W | LCG-PT-30W | 60 Months |
| Twilight, 40 W | LCG-PT-40W | 60 Months |
| Twilight, 50 W | LCG-PT-50W | 60 Months |
| Twilight, 80 W | LCG-PT-80W | 60 Months |
| Twilight, 100 W | LCG-PT-100W | 60 Months |

SloanLED Global Limited Warranty Period Schedule

Lighting Systems

Indoor Commercial Lighting

Area 51

| Product Description | Part No. | Duration |
|---------------------|------------|-----------|
| Area 51, 100 W | LCGFO-100W | 60 Months |
| Area 51, 150 W | LCGFO-150W | 60 Months |
| Area 51, 200 W | LCGFO-200W | 60 Months |

Borealis

| Product Description | Part No. | Duration |
|-------------------------|--------------|-----------|
| Borealis, 2' x 2', 40 W | LCG-TF22-40W | 60 Months |
| Borealis, 2' x 4', 50 W | LCG-TF24-50W | 60 Months |
| Borealis, 2' x 2', 35 W | LCG-TF22-35W | 60 Months |
| Borealis, 2' x 4', 48 W | LCG-TF24-48W | 60 Months |

Daybreak

| Product Description | Part No. | Duration |
|-------------------------|--------------|-----------|
| Daybreak, 2' x 2', 27 W | LCG-TR22-27W | 60 Months |
| Daybreak, 2' x 2', 40 W | LCG-TR22-40W | 60 Months |
| Daybreak, 2' x 4', 40 W | LCG-TR24-40W | 60 Months |
| Daybreak, 2' x 4', 62 W | LCG-TR24-62W | 60 Months |
| Daybreak, 1' x 4', 40 W | LCG-TR14-40W | 60 Months |
| Battery Backup PS, 8 W | EM-L0854 | 60 Months |
| Battery Backup PS, 16 W | EM-L1654 | 60 Months |
| Battery Backup PS, 25 W | EM-L2554 | 60 Months |

Indusun Round High Bay

| Product Description | Part No. | Duration |
|-------------------------------|-----------|-----------|
| Indusun Round High Bay, 100 W | ISHB-100U | 60 Months |
| Indusun Round High Bay, 150 W | ISHB-150U | 60 Months |
| Indusun Round High Bay, 200 W | ISHB-200U | 60 Months |
| Indusun Round High Bay, 240 W | ISHB-240U | 60 Months |

Indumoon Round High Bay

| Product Description | Part No. | Duration |
|--------------------------------|-----------|-----------|
| Indumoon Round High Bay, 100 W | IMHB-100U | 60 Months |
| Indumoon Round High Bay, 150 W | IMHB-150U | 60 Months |
| Indumoon Round High Bay, 200 W | IMHB-200U | 60 Months |
| Indumoon Round High Bay, 240 W | IMHB-240U | 60 Months |

Jewel

| Product Description | Part No. | Duration |
|---------------------|-------------|-----------|
| Jewel, 90 W | LCG-LB-90W | 60 Months |
| Jewel, 120 W | LCG-LB-120W | 60 Months |

LED Backlit Panel

| Product Description | Part No. | Duration |
|--------------------------|---------------|-----------|
| LED Backlit Panel, 2'x2' | 701975-4WN221 | 60 Months |

Linea

| Product Description | Part No. | Duration |
|---------------------|-----------------------|-----------|
| Linea, 2', 25 W | LC-WR-246-25W-8[CCT]N | 60 Months |
| Linea, 4', 48 W | LC-WR-486-48W-8[CCT]N | 60 Months |

RD Series: LED Recessed Downlights

| Product Description | Part No. | Duration |
|------------------------------------|---------------|-----------|
| RDA Recessed Downlight, Adjustable | 701977-4ACCW1 | 60 Months |
| RDL Recessed Downlight, Large | 701977-4LDTW1 | 60 Months |
| RDS Recessed Downlight, Small | 701977-4SDTW1 | 60 Months |

Roswell

| Product Description | Part No. | Duration |
|---------------------|--------------|-----------|
| Roswell, 90 W | LCG-RHB-90W | 60 Months |
| Roswell, 140 W | LCG-RHB-140W | 60 Months |

SloanLED Horizon

| Product Description | Part No. | Duration |
|-------------------------------------|-----------------------------|-----------|
| SloanLED Horizon, 1' x 4' | FP20-1248-32(XX)V-(YY)(ZZZ) | 60 Months |
| SloanLED Horizon, 2' x 2' | FP20-2424-32(XX)V-(YY)(ZZZ) | 60 Months |
| SloanLED Horizon, 2' x 4', 40 W | FP20-2448-40(XX)V-(YY)(ZZZ) | 60 Months |
| SloanLED Horizon, 2' x 4', 50 W | FP20-2448-55(XX)V-(YY)(ZZZ) | 60 Months |
| SloanLED Horizon, 600 mm x 600 mm | FP20-6060-40(XX)(Y) | 60 Months |
| SloanLED Horizon, 600 mm x 1200 mm | FP20-6012-50(XX)(Y) | 60 Months |
| Surface Mount Box, 600 mm x 600 mm | AXSMT-6060-WH | 60 Months |
| Surface Mount Box, 600 mm x 1200 mm | AXSMT-6012-WH | 60 Months |
| Surface Mount Box, 600 mm x 1200 mm | AXSMT-6012-WH | 60 Months |
| Suspension Kit | AXSUS-4WB | 60 Months |
| Battery Backup | AXEMB1-8W-CE | 60 Months |

SloanLED Vista

| Product Description | Part No. | Duration |
|-------------------------------------|-------------------|-----------|
| SloanLED Vista, 2'x2' | FP10-2424-3640(X) | 60 Months |
| SloanLED Vista, 1'x4' | FP10-1248-4040(X) | 60 Months |
| SloanLED Vista, 2'x4' | FP10-2448-5040(X) | 60 Months |
| SloanLED Vista, 600 mm x 600 mm | FP10-6060-4040(X) | 60 Months |
| SloanLED Vista, 625 mm x 625 mm | FP10-6262-4040(X) | 60 Months |
| SloanLED Vista, 300 mm x 1200 mm | FP10-3012-4040(X) | 60 Months |
| SloanLED Vista, 600 mm x 1200 mm | FP10-6012-4040(X) | 60 Months |
| Surface Mount Box, 2'x2' | AXSMT-2424-WH | 60 Months |
| Surface Mount Box, 1'x4' | AXSMT-1248-WH | 60 Months |
| Surface Mount Box, 2'x4' | AXSMT-2448-WH | 60 Months |
| Surface Mount Box, 600 mm x 600 mm | AXSMT-6060-WH | 60 Months |
| Surface Mount Box, 625 mm x 625 mm | AXSMT-6262-WH | 60 Months |
| Surface Mount Box, 300 mm x 1200 mm | AXSMT-3012-WH | 60 Months |
| Surface Mount Box, 600 mm x 1200 mm | AXSMT-6012-WH | 60 Months |
| Surface Mount Box, 600 mm x 1200 mm | AXSMT-6012-WH | 60 Months |
| Suspension Kit | AXSUS-4W(X) | 60 Months |
| Battery Backup | AXEMB1-8W-CE | 60 Months |
| 1.5 m cord and Wieland plug | AXWCP-15-CE | 60 Months |

T-LED Snap

| Product Description | Part No. | Duration |
|---------------------|-------------|-----------|
| TLED Snap, 4', 15 W | LG-4FT8-15W | 60 Months |

SloanLED Global Limited Warranty Period Schedule

Lighting Systems

Achieve

Achieve Round High Bay

| Product Description | Part No. | Duration |
|--|--------------|------------|
| Achieve Round High Bay, 100 W, 120-277 V | ACH-RHB-100U | 120 Months |
| Achieve Round High Bay, 100 W, 347-480 V | ACH-RHB-100H | 120 Months |
| Achieve Round High Bay, 166 W, 120-277 V | ACH-RHB-166U | 120 Months |
| Achieve Round High Bay, 166 W, 347-480 V | ACH-RHB-166H | 120 Months |
| Achieve Round High Bay, 245 W, 120-277 V | ACH-RHB-245U | 120 Months |
| Achieve Round High Bay, 245 W, 347-480 V | ACH-RHB-245H | 120 Months |
| Achieve Round High Bay, 100 W, 120-277 V | SRHB-100-U | 120 Months |
| Achieve Round High Bay, 100 W, 347-480 V | SRHB-100-H | 120 Months |
| Achieve Round High Bay, 166 W, 120-277 V | SRHB-166-U | 120 Months |
| Achieve Round High Bay, 166 W, 347-480 V | SRHB-166-H | 120 Months |
| Achieve Round High Bay, 245 W, 120-277 V | SRHB-245-U | 120 Months |
| Achieve Round High Bay, 245 W, 347-480 V | SRHB-245-H | 120 Months |
| Acrylic reflector | SRHB-AC | 120 Months |
| Aluminum reflector | SRHB-AL | 120 Months |
| 16" Flat conical lens and clamp band | SRHB-FA | 120 Months |
| 16" Flat glass lens and clamp band | SRHB-FC | 120 Months |
| 16" Conical lens and clamp band | SRHB-Y | 120 Months |
| Pendant mount wiring assembly | SRHB-P | 120 Months |
| 16" Wire guard | SRHB-WG | 120 Months |
| Remote | SRHB-R | 120 Months |

Contractor Essentials™

CE: BVTPLLED Standard Linear Vapor Tights

| Product Description | Part No. | Duration |
|--|-------------|-----------|
| BVTPLLED Standard Linear Vapor Tight, 40 W | BVTPLLED-40 | 60 Months |
| BVTPLLED Standard Linear Vapor Tight, 52 W | BVTPLLED-52 | 60 Months |

CE: BWALED Utility Wraps

| Product Description | Part No. | Duration |
|---------------------|--------------|-----------|
| BWALED Utility Wrap | BWALED4FT-40 | 60 Months |

CE: CB Troffers

| Product Description | Part No. | Duration |
|----------------------------|----------|-----------|
| CB Troffers, 2' x 2', 24 W | CB22-3L | 60 Months |
| CB Troffers, 2' x 4', 33 W | CB24-5L | 60 Months |

CE: CPLED Parking Garage Luminaires

| Product Description | Part No. | Duration |
|---------------------------------------|----------|-----------|
| CPLED Parking Garage Luminaire, 40 W | CPLD-5 | 60 Months |
| CPLED Parking Garage Luminaire, 56 W | CPLD-7 | 60 Months |
| CPLED Parking Garage Luminaire, 102 W | CPLD-13 | 60 Months |

CE: EDG Edge-lit Parking Garage Lights

| Product Description | Part No. | Duration |
|--|----------|-----------|
| EDG Edge-lit Parking Garage Lights, 45 W | EDG-45U | 60 Months |
| EDG Edge-lit Parking Garage Lights, 70 W | EDG-70U | 60 Months |
| Remote Control | RC100 | 60 Months |

CE: FP20 Premium Backlit Panels

| Product Description | Part No. | Duration |
|---|--------------|-----------|
| FP20 Premium Backlit Panel, 1'x4', 32 W | FP20-1248-32 | 60 Months |
| FP20 Premium Backlit Panel, 2'x2', 32 W | FP20-2424-32 | 60 Months |
| FP20 Premium Backlit Panel, 2'x4', 40 W | FP20-2448-40 | 60 Months |
| FP20 Premium Backlit Panel, 2'x4', 55 W | FP20-2448-55 | 60 Months |

CE: GRPL Bollards

| Product Description | Part No. | Duration |
|-------------------------|-----------|-----------|
| GRPL Bollard, full lens | GRPL-5510 | 60 Months |
| GRPL Bollard, louvered | GRPL-5520 | 60 Months |

CE: HBR Premium Round High Bays

| Product Description | Part No. | Duration |
|---|----------|-----------|
| HBR Prem. Round High Bay, 14,000 Lumens | HBR-14L | 60 Months |
| HBR Prem. Round High Bay, 20,000 Lumens | HBR-20L | 60 Months |
| HBR Prem. Round High Bay, 28,000 Lumens | HBR-28L | 60 Months |
| HBR Prem. Round High Bay, 32,000 Lumens | HBR-32L | 60 Months |

CE: HBRE Economy Round High Bays

| Product Description | Part No. | Duration |
|--|----------|-----------|
| HBRE Econ. Round High Bay, 14,000 Lumens | HBRE-14L | 60 Months |
| HBRE Econ. Round High Bay, 21,000 Lumens | HBRE-21L | 60 Months |
| HBRE Econ. Round High Bay, 28,000 Lumens | HBRE-28L | 60 Months |
| HBRE Econ. Round High Bay, 34,000 Lumens | HBRE-34L | 60 Months |

CE: LEDHBR Round High Bays

| Product Description | Part No. | Duration |
|------------------------------|--------------|-----------|
| LEDHBR Round High Bay, 100 W | LEDHBR[X]-14 | 60 Months |
| LEDHBR Round High Bay, 150 W | LEDHBR[X]-21 | 60 Months |
| LEDHBR Round High Bay, 200 W | LEDHBR[X]-27 | 60 Months |
| LEDHBR Round High Bay, 239 W | LEDHBR[X]-32 | 60 Months |

CE: LEDMPALPRO Commercial Flood Lights

| Product Description | Part No. | Duration |
|--|---------------|-----------|
| LEDMPALPRO Commercial Flood Light, 15 W | LEDMPALPRO15 | 60 Months |
| LEDMPALPRO Commercial Flood Light, 30 W | LEDMPALPRO30 | 60 Months |
| LEDMPALPRO Commercial Flood Light, 50 W | LEDMPALPRO50 | 60 Months |
| LEDMPALPRO Commercial Flood Light, 80 W | LEDMPALPRO80 | 60 Months |
| LEDMPALPRO Commercial Flood Light, 100 W | LEDMPALPRO100 | 60 Months |
| LEDMPALPRO Commercial Flood Light, 140 W | LEDMPALPRO140 | 60 Months |
| LEDMPALPRO Commercial Flood Light, 240 W | LEDMPALPRO240 | 60 Months |
| LEDMPALPRO Commercial Flood Light, 280 W | LEDMPALPRO280 | 60 Months |

CE: LEDWPA Wall Packs

| Product Description | Part No. | Duration |
|------------------------|-----------|-----------|
| LEDWPA Wall Pack, 25 W | LEDWPA25W | 60 Months |
| LEDWPA Wall Pack, 40 W | LEDWPA40W | 60 Months |
| LEDWPA Wall Pack, 60 W | LEDWPA60W | 60 Months |

CE: PG CCT Select Parking Garage Luminaires

| Product Description | Part No. | Duration |
|---|------------|-----------|
| PG CCT Select Parking Garage Luminaires, 40 W | PG-5L-KFS | 60 Months |
| PG CCT Select Parking Garage Luminaires, 56 W | PG-10L-KFS | 60 Months |

CE: PNL Standard Backlit Panels

| Product Description | Part No. | Duration |
|--|------------|-----------|
| PNL Standard Backlit Panels, 2'x2', 36 W | PNL2X2-40L | 60 Months |
| PNL Standard Backlit Panels, 2'x4', 44 W | PNL2X2-40L | 60 Months |

CE: SHL2 Linear High Bays

| Product Description | Part No. | Duration |
|-----------------------------|----------|-----------|
| SHL2 Linear High Bay, 90 W | SHL2-090 | 60 Months |
| SHL2 Linear High Bay, 135 W | SHL2-135 | 60 Months |
| SHL2 Linear High Bay, 180 W | SHL2-180 | 60 Months |
| SHL2 Linear High Bay, 265 W | SHL2-265 | 60 Months |
| SHL2 Linear High Bay, 320 W | SHL2-320 | 60 Months |

SloanLED Global Limited Warranty Period Schedule

Lighting Systems

Contractor Essentials™ (cont.)

CE: SLVT Premium Linear Vapor Tights

| Product Description | Part No. | Duration |
|--|-----------|-----------|
| SLVT Premium Linear Vapor Tights, 2', 25 W | SLVT24-25 | 60 Months |
| SLVT Premium Linear Vapor Tights, 4', 35 W | SLVT48-35 | 60 Months |
| SLVT Premium Linear Vapor Tights, 4', 55 W | SLVT48-55 | 60 Months |
| SLVT Premium Linear Vapor Tights, 4', 75 W | SLVT48-75 | 60 Months |

CE: SL Strip Lights

| Product Description | Part No. | Duration |
|--------------------------|------------|-----------|
| SL Strip Light, 2', 20 W | SL-2FT-25L | 60 Months |
| SL Strip Light, 3', 25 W | SL-3FT-33L | 60 Months |
| SL Strip Light, 4', 35 W | SL-4FT-46L | 60 Months |
| SL Strip Light, 8', 65 W | SL-8FT-80L | 60 Months |

CE: TRF CCT & Power Select Troffers

| Product Description | Part No. | Duration |
|--|----------|-----------|
| TRF CCT & Power Select Troffers, 2'x2' | 22TRF | 60 Months |
| TRF CCT & Power Select Troffers, 2'x4' | 24TRF | 60 Months |

CE: WLE Economy Wrap

| Product Description | Part No. | Duration |
|--------------------------|----------------|-----------|
| WLE Economy Wrap, 3000 K | WLE-4FT-40L-3K | 60 Months |
| WLE Economy Wrap, 4000 K | WLE-4FT-40L-4K | 60 Months |
| WLE Economy Wrap, 5000 K | WLE-4FT-40L-5K | 60 Months |

CE: WPA Wall Packs

| Product Description | Part No. | Duration |
|-----------------------|-------------|-----------|
| WPA Wall Pack, 4000 K | WPA-[XX]-4K | 60 Months |
| WPA Wall Pack, 5000 K | WPA-[XX]-5K | 60 Months |

Symphony

Symphony Area Light

| Product Description | Part No. | Duration |
|----------------------------|-------------|------------|
| Symphony Area Light, 60 W | SYM-AL-60W | 120 Months |
| Symphony Area Light, 100 W | SYM-AL-100W | 120 Months |
| Symphony Area Light, 150 W | SYM-AL-150W | 120 Months |
| Symphony Area Light, 200 W | SYM-AL-200W | 120 Months |
| Symphony Area Light, 300 W | SYM-AL-300W | 120 Months |

Symphony Bollard

| Product Description | Part No. | Duration |
|----------------------------|----------|------------|
| Symphony Bollard, Dome Top | SYM-BD6 | 120 Months |
| Symphony Bollard, Post Top | SYM-BT6 | 120 Months |

Symphony Floodlight

| Product Description | Part No. | Duration |
|-------------------------------------|--------------|------------|
| Symphony Floodlight, Medium, 70 W | SYM-F-M-70 | 120 Months |
| Symphony Floodlight, Large, 100 W | SYM-F-L-100 | 120 Months |
| Symphony Floodlight, Large, 150 W | SYM-F-L-150 | 120 Months |
| Symphony Floodlight, X-Large, 200 W | SYM-F-X-200 | 120 Months |
| Symphony Floodlight, X-Large, 240 W | SYM-F-X-240 | 120 Months |
| Slipfitter | SYM-F-SP | 120 Months |
| Knuckle mount | SYM-F-NK | 120 Months |
| Yoke mount, Medium | SYM-F-SYK | 120 Months |
| Yoke mount, Large & X-Large | SYM-F-LYK | 120 Months |
| Wire guard | SYM-F-(B)-WG | 120 Months |
| Top visor | SYM-F-(B)-TV | 120 Months |
| Bottom visor | SYM-F-(B)-BV | 120 Months |
| Remote | SYM-F-R | 120 Months |

Symphony Garage Lighter

| Product Description | Part No. | Duration |
|-------------------------------|----------|------------|
| Symphony Garage Lighter, 35 W | SYM-GL35 | 120 Months |
| Symphony Garage Lighter, 54 W | SYM-GL54 | 120 Months |
| Symphony Garage Lighter, 70 W | SYM-GL70 | 120 Months |
| Remote | SYM-GLR | 120 Months |

Symphony Wall Mount Luminaire

| Product Description | Part No. | Duration |
|--|----------|------------|
| Symphony Wall Mount Luminaire, Wedge | SYM-W | 120 Months |
| Symphony Wall Mount Luminaire, Half moon | SYM-HM | 120 Months |
| Symphony Wall Mount Luminaire, Quarter Sphere | SYM-QS | 120 Months |
| Symphony Wall Mount Luminaire, Up/down half moon | SYM-UDHM | 120 Months |
| Remote | SYM-WR | 120 Months |

SloanLED Global Limited Warranty Period Schedule

Lighting Systems

Refrigerated Display Lighting

Cold Door

| Product Description | Part No. | Duration |
|--|--------------------|-----------|
| Cold Door Center, 3500K, 5' (1.5m) | 701906-2-WW-60 | 60 Months |
| Cold Door Center, 3500K, 6' (1.8m) | 701906-2-WW-66 | 60 Months |
| Cold Door Center, 4100K, 5' (1.5m) | 701906-2-NW-60 | 60 Months |
| Cold Door Center, 4100K, 6' (1.8m) | 701906-2-NW-66 | 60 Months |
| Cold Door Center, 4100K, 7' (2.1m) | 701906-2-NW-75 | 60 Months |
| Cold Door Center, 5000K, 5' (1.5m) | 701906-2-CW-60 | 60 Months |
| Cold Door Center, 5000K, 6' (1.8m) | 701906-2-CW-66 | 60 Months |
| Cold Door End, 3500K, 5' (1.5m) | 701906-2-END-WW-60 | 60 Months |
| Cold Door End, 3500K, 6' (1.8m) | 701906-2-END-WW-66 | 60 Months |
| Cold Door End, 4100K, 5' (1.5m) | 701906-2-END-NW-60 | 60 Months |
| Cold Door End, 4100K, 6' (1.8m) | 701906-2-END-NW-66 | 60 Months |
| Cold Door End, 4100K, 7' (2.1m) | 701906-2-END-NW-75 | 60 Months |
| Cold Door End, 5000K, 5' (1.5m) | 701906-2-END-CW-60 | 60 Months |
| Cold Door End, 5000K, 6' (1.8m) | 701906-2-END-CW-66 | 60 Months |
| Cold Door 2, 4' (1.2m) | 701906-(XX)(Y)4X2 | 60 Months |
| Cold Door 2, 5' (1.5m) | 701906-(XX)(Y)5X2 | 60 Months |
| Cold Door 2, 6' (1.8m) | 701906-(XX)(Y)6X2 | 60 Months |
| Cold Door 2, 7' (2.1m) | 701906-(XX)(Y)7X2 | 60 Months |
| Cold Door 3 ECO, 5' (1.5m) | 701906-(XX)(Y)5V3 | 60 Months |
| Cold Door 3 ECO, 6' (1.8m) | 701906-(XX)(Y)6V3 | 60 Months |
| Cold Door 3 ECO, 7' (2.1m) | 701906-(XX)(Y)7V3 | 60 Months |
| Cold Door 3 Performance, 4' (1.2m) | 701906-(XX)(Y)4X3 | 60 Months |
| Cold Door 3 Performance, 5' (1.5m) | 701906-(XX)(Y)5X3 | 60 Months |
| Cold Door 3 Performance, 6' (1.8m) | 701906-(XX)(Y)6X3 | 60 Months |
| Cold Door 3 Performance, 7' (2.1m) | 701906-(XX)(Y)7X3 | 60 Months |
| Invisibility Light Guard, 2-pack, 4' (1.2m) | 402074-46-2 | 60 Months |
| Invisibility Light Guard, 2-pack, 5' (1.5m) | 402074-56-2 | 60 Months |
| Invisibility Light Guard, 2-pack, 6' (1.8m) | 402074-66-2 | 60 Months |
| Invisibility Light Guard, 2-pack, 7' (2.1m) | 402074-71-2 | 60 Months |
| Invisibility Light Guard, 12-pack, 4' (1.2m) | 402074-46-12 | 60 Months |
| Invisibility Light Guard, 12-pack, 5' (1.5m) | 402074-56-12 | 60 Months |
| Invisibility Light Guard, 12-pack, 6' (1.8m) | 402074-66-12 | 60 Months |
| Invisibility Light Guard, 12-pack, 7' (2.1m) | 402074-71-12 | 60 Months |
| End Concentrator, 2-pack, 7' (2.1m) | 402074-71-EC-2 | 60 Months |
| End Concentrator, 12-pack, 4' (1.2m) | 402074-46-EC-12 | 60 Months |
| End Concentrator, 12-pack, 5' (1.5m) | 402074-56-EC-12 | 60 Months |
| End Concentrator, 12-pack, 6' (1.8m) | 402074-66-EC-12 | 60 Months |
| End Concentrator, 12-pack, 7' (2.1m) | 402074-71-EC-12 | 60 Months |
| 100 W, 24 VDC Power Supply | 701895-24W | 60 Months |
| 100 W, 24 VDC Power Supply | 701933 | 60 Months |
| 100 W, 24 VDC Power Supply | 401402 | 60 Months |
| Compact 24/40 W Power Supply | 410175 | 60 Months |
| Snap-in Clip | 401943 | 60 Months |
| Snap-in Clip, 24-pack | 401943-24 | 60 Months |
| Power Controller | 701929 | 60 Months |
| Clip, Center | 400686 | 60 Months |
| Clip, End | 400686-END | 60 Months |
| Wire Cover, Center | 400776 | 60 Months |
| Wire Cover, End | 400776-END | 60 Months |
| Universal Voltage Power Pack | 401352 | 60 Months |
| Connector Cable, RJ45, 20' (61 m) | 401353 | 60 Months |
| Cold Door 4 ECO, 4' (1.2m) | 701906-(XX)(Y)4V4 | 60 Months |
| Cold Door 4 ECO, 5' (1.5m) | 701906-(XX)(Y)5V4 | 60 Months |
| Cold Door 4 ECO, 6' (1.8m) | 701906-(XX)(Y)6V4 | 60 Months |
| Cold Door 4 ECO, 7' (2.1m) | 701906-(XX)(Y)7V4 | 60 Months |

Cold Door (cont.)

| Product Description | Part No. | Duration |
|------------------------------------|-------------------|-----------|
| Cold Door 4 Performance, 4' (1.2m) | 701906-(XX)(Y)4X4 | 60 Months |
| Cold Door 4 Performance, 5' (1.5m) | 701906-(XX)(Y)5X4 | 60 Months |
| Cold Door 4 Performance, 6' (1.8m) | 701906-(XX)(Y)6X4 | 60 Months |
| Cold Door 4 Performance, 7' (2.1m) | 701906-(XX)(Y)7X4 | 60 Months |
| Cold Door 4 French Door, 4' (1.2m) | 701906-(XX)(Y)4F4 | 60 Months |
| Cold Door 4 French Door, 5' (1.5m) | 701906-(XX)(Y)5F4 | 60 Months |
| Cold Door 4 French Door, 6' (1.8m) | 701906-(XX)(Y)6F4 | 60 Months |
| Cold Door 4 French Door, 7' (2.1m) | 701906-(XX)(Y)7F4 | 60 Months |

Dimming

| Product Description | Part No. | Duration |
|----------------------------|------------|-----------|
| Dimming Controller | 701890-PWR | 60 Months |
| Motion Sensor | 400661 | 60 Months |
| Motion Sensor (Wide Angle) | 400964 | 60 Months |

Cold Deck

| Product Description | Part No. | Duration |
|---------------------------------------|---------------|-----------|
| Cold Deck Canopy, 2700K, 3' (900 mm) | 701940-2WC3X1 | 60 Months |
| Cold Deck Canopy, 2700K, 4' (1200 mm) | 701940-2WC4X1 | 60 Months |
| Cold Deck Canopy, 3500K, 3' (900 mm) | 701940-3WC3X1 | 60 Months |
| Cold Deck Canopy, 3500K, 4' (1200 mm) | 701940-3WC4X1 | 60 Months |
| Cold Deck Canopy, 4000K, 3' (900 mm) | 701940-4WC3X1 | 60 Months |
| Cold Deck Canopy, 4000K, 4' (1200 mm) | 701940-4WC4X1 | 60 Months |
| Cold Deck Shelf, 2700K, 3' (900 mm) | 701940-2WS3X1 | 60 Months |
| Cold Deck Shelf, 2700K, 4' (1200 mm) | 701940-2WS4X1 | 60 Months |
| Cold Deck Shelf, 3500K, 3' (900 mm) | 701940-3WS3X1 | 60 Months |
| Cold Deck Shelf, 3500K, 4' (1200 mm) | 701940-3WS4X1 | 60 Months |
| Cold Deck Shelf, 4000K, 3' (900 mm) | 701940-4WS3X1 | 60 Months |
| Cold Deck Shelf, 4000K, 4' (1200 mm) | 701940-4WS4X1 | 60 Months |
| 100 W, 24 VDC Power Supply | 701895-24C | 60 Months |
| Stand-off Clip | 401091 | 60 Months |
| Terminal Block, Small | 401350 | 60 Months |
| Terminal Block, Large | 401351 | 60 Months |

SloanLED Global Limited Warranty Period Schedule

Lighting Systems

Refrigerated Display Lighting

Cold Deck FIT

| Product Description | Part No. | Duration |
|---|---------------|-----------|
| Cold Deck FIT Canopy, Prime, 4' (1.2 m) | 701940-MWC4F1 | 60 Months |
| Cold Deck FIT Canopy, 2700K, 1' (0.3 m) | 701940-2WC1F1 | 60 Months |
| Cold Deck FIT Canopy, 2700K, 3' (0.9 m) | 701940-2WC3F1 | 60 Months |
| Cold Deck FIT Canopy, 2700K, 4' (1.2 m) | 701940-2WC4F1 | 60 Months |
| Cold Deck FIT Canopy, 3500K, 1' (0.3 m) | 701940-3WC1F1 | 60 Months |
| Cold Deck FIT Canopy, 3500K, 3' (0.9 m) | 701940-3WC3F1 | 60 Months |
| Cold Deck FIT Canopy, 3500K, 4' (1.2 m) | 701940-3WC4F1 | 60 Months |
| Cold Deck FIT Canopy, 4000K, 1' (0.3 m) | 701940-4WC1F1 | 60 Months |
| Cold Deck FIT Canopy, 4000K, 3' (0.9 m) | 701940-4WC3F1 | 60 Months |
| Cold Deck FIT Canopy, 4000K, 4' (1.2 m) | 701940-4WC4F1 | 60 Months |
| Cold Deck FIT Shelf, Prime, 4' (1.2 m) | 701940-MWS4F1 | 60 Months |
| Cold Deck FIT Shelf, 2700K, 1' (0.3 m) | 701940-2WS1F1 | 60 Months |
| Cold Deck FIT Shelf, 2700K, 3' (0.9 m) | 701940-2WS3F1 | 60 Months |
| Cold Deck FIT Shelf, 2700K, 4' (1.2 m) | 701940-2WS4F1 | 60 Months |
| Cold Deck FIT Shelf, 3500K, 1' (0.3 m) | 701940-3WS1F1 | 60 Months |
| Cold Deck FIT Shelf, 3500K, 3' (0.9 m) | 701940-3WS3F1 | 60 Months |
| Cold Deck FIT Shelf, 3500K, 4' (1.2 m) | 701940-3WS4F1 | 60 Months |
| Cold Deck FIT Shelf, 4000K, 1' (0.3 m) | 701940-4WS1F1 | 60 Months |
| Cold Deck FIT Shelf, 4000K, 3' (0.9 m) | 701940-4WS3F1 | 60 Months |
| Cold Deck FIT Shelf, 4000K, 4' (1.2 m) | 701940-4WS4F1 | 60 Months |
| 100 W, 24 VDC Power Supply | 701895-24C | 60 Months |
| Compact 24/40 W Power Supply | 410175 | 60 Months |
| Stand-off Clip | 401091 | 60 Months |
| 5 Clip Spanner Wrenches | 401368-5 | 60 Months |
| Terminal Block, Small | 401350 | 60 Months |
| Terminal Block, Large | 401351 | 60 Months |

Dimming

| Product Description | Part No. | Duration |
|----------------------------|------------|-----------|
| Dimming Controller | 701890-PWR | 60 Months |
| Motion Sensor | 400661 | 60 Months |
| Motion Sensor (Wide Angle) | 400964 | 60 Months |
| Motion Sensor/High Voltage | 401314 | 60 Months |
| Lens for 401314 | 401315 | 60 Months |

Retail Lighting

LEDge

| Product Description | Part No. | Duration* |
|---|------------------|-----------|
| LEDge Light Canopy, 4000 K, 3' (0.9 m) | 701859-4WC3X4 | 84 Months |
| LEDge Light Canopy, 4000 K, 4' (1.2 m) | 701859-4WC4X4 | 84 Months |
| LEDge Light Shelf, 4000 K, 2' (0.6 m) | 701859-4WS2X4 | 84 Months |
| LEDge Light Shelf, 4000 K, 3' (0.9 m) | 701859-4WS3X4 | 84 Months |
| LEDge Light Shelf, 4000 K, 4' (1.2 m) | 701859-4WS4X4 | 84 Months |
| LEDge Light Shelf, 6000 K, 4' (1.2 m) | 701859-6WS4X4 | 84 Months |
| LEDge Light Shelf, 4000 K, Frosted lens, 4' (1.2 m) | 701859-4WS4D4 | 84 Months |
| LEDge Header, 4000 K, 3' (0.9 m) | RH10N-24V-340-GR | 84 Months |
| LEDge Header, 4000 K, 4' (1.2 m) | RH10N-24V-440-GR | 84 Months |
| 100 W, 24 VDC Power Supply | 701895-24P1 | 84 Months |

* Warranty applies to product only.

SloanLED Global Limited Warranty Period Schedule

Sign and Architectural Lighting

Channel Letter

BendLUX

| Product Description | Part No. | Duration |
|---------------------|---------------|-----------|
| BendLUX | 701960-6WS241 | 60 Months |

SloanLED FlexTAPE

| Product Description | Part No. | Duration |
|----------------------------|----------------|-----------|
| SloanLED FlexTAPE (6500 K) | 701990-6W12SA1 | 36 Months |
| SloanLED FlexTAPE (5000 K) | 701990-5W12SA1 | 36 Months |
| SloanLED FlexTAPE (3500 K) | 701990-3512SA1 | 36 Months |
| SloanLED FlexTAPE (Red) | 701990-RD12SA1 | 36 Months |

Great White 4

| Product Description | Part No. | Duration |
|---------------------|---------------|-----------|
| Great White 4 | 701269-WL4-MB | 60 Months |

SloanLED Prism

| Product Description | Part No. | Duration |
|---|-------------------|-------------------------|
| SloanLED Prism (7100 K) | 701269-7WSJ1-MB | 120 Months [‡] |
| SloanLED Prism (6500 K), 1.5/ft (4.9/m) | 701269-6WSJ1-MB | 120 Months [‡] |
| SloanLED Prism (6500 K), 1/ft (3.3/m) | 701269-6WSJ2-MB | 120 Months [‡] |
| SloanLED Prism (6500 K), 2/ft (6.6/m) | 701269-6WSJ3-MB | 120 Months [‡] |
| SloanLED Prism (5700 K) | 701269-57SJ1-MB | 120 Months [‡] |
| SloanLED Prism (5000 K) | 701269-5WSJ1-MB | 120 Months [‡] |
| SloanLED Prism (4000 K) | 701269-4WSJ1-MB | 120 Months [‡] |
| SloanLED Prism (3000 K) | 701269-3WSJ1-MB | 120 Months [‡] |
| SloanLED Prism Red, 2/ft (6.6/m) | 701269-RDSJ3-MB | 120 Months [‡] |
| SloanLED Prism Red, 1.5/ft (4.9/m) | 701269-RDSJ1-MB | 120 Months [‡] |
| SloanLED Prism Orange | 701269-ORSJ1-MB | 120 Months [‡] |
| SloanLED Prism Yellow | 701269-YLSJ1-MB | 120 Months [‡] |
| SloanLED Prism Green | 701269-GRSJ1-MB | 120 Months [‡] |
| SloanLED Prism Blue | 701269-BLSJ1-MB | 120 Months [‡] |
| SloanLED Prism Mini (7100 K) | 701269-7WMJ2-MB | 120 Months [‡] |
| SloanLED Prism Mini (6500 K) | 701269-6WMJ2-MB | 120 Months [‡] |
| SloanLED Prism Mini (5000 K) | 701269-5WMJ2-MB | 120 Months [‡] |
| SloanLED Prism Mini (4000 K) | 701269-4WMJ2-MB | 120 Months [‡] |
| SloanLED Prism Mini (3000 K) | 701269-3WMJ2-MB | 120 Months [‡] |
| SloanLED Prism Mini Red | 701269-RDMJ2-MB | 120 Months [‡] |
| SloanLED Prism Mini Green | 701269-GRMJ2-MB | 120 Months [‡] |
| SloanLED Prism Mini Blue | 701269-BLMJ2-MB | 120 Months [‡] |
| SloanLED Prism Mini (6500 K) | 701269-6WMJ1-MB | 120 Months [‡] |
| SloanLED Prism HO (6500 K) | 701269-6WHJ1-MB | 120 Months [‡] |
| SloanLED Prism HO (5000 K) | 701269-5WHJ1-MB | 120 Months [‡] |
| SloanLED Prism HO, 24 V (0.8/ft, 2.6/m) | 701269-6W24HJ1-MB | 120 Months |
| SloanLED Prism HO, 24 V (1.5/ft, 4.9/m) | 701269-6W24HJ2-MB | 120 Months |
| SloanLED Prism Nano (7200 K) | 701269-7WNJ1-MB | 120 Months [‡] |
| SloanLED Prism Nano (6500 K) | 701269-6WNJ1-MB | 120 Months [‡] |
| SloanLED Prism Nano (5000 K) | 701269-5WNJ1-MB | 120 Months [‡] |
| SloanLED Prism Nano (4000 K) | 701269-4WNJ1-MB | 120 Months [‡] |
| SloanLED Prism Nano (3000 K) | 701269-3WNJ1-MB | 120 Months [‡] |
| SloanLED Prism Nano (Red) | 701269-RDNJ1-MB | 120 Months [‡] |
| SloanLED Prism Nano (Green) | 701269-GRNJ1-MB | 120 Months [‡] |
| SloanLED Prism Nano (Blue) | 701269-BLNJ1-MB | 120 Months [‡] |
| SloanLED Prism Enlighten (7100 K) | 701269-7WEJ1-MB | 120 Months [‡] |
| SloanLED Prism Enlighten (6500 K) | 701269-6WEJ1-MB | 120 Months [‡] |
| SloanLED Prism Enlighten (5700 K) | 701269-57EJ1-MB | 120 Months [‡] |
| SloanLED Prism Enlighten (4000 K) | 701269-4WEJ1-MB | 120 Months [‡] |
| SloanLED Prism Enlighten (3000 K) | 701269-3WEJ1-MB | 120 Months [‡] |

SloanLED Prism¹²

| Product Description | Part No. | Duration |
|---|-------------------|------------|
| SloanLED Prism ¹² Mini (7100 K) | 701269-7W12MJ1-MB | 120 Months |
| SloanLED Prism ¹² Mini (6500 K) | 701269-6W12MJ1-MB | 120 Months |
| SloanLED Prism ¹² Mini (5000 K) | 701269-5W12MJ1-MB | 120 Months |
| SloanLED Prism ¹² Mini (4000 K) | 701269-4W12MJ1-MB | 120 Months |
| SloanLED Prism ¹² Mini (3000 K) | 701269-3W12MJ1-MB | 120 Months |
| SloanLED Prism ¹² Mini (Red) | 701269-RD12MJ1-MB | 120 Months |
| SloanLED Prism ¹² Mini (Green) | 701269-GR12MJ1-MB | 120 Months |
| SloanLED Prism ¹² Mini (Blue) | 701269-BL12MJ1-MB | 120 Months |
| SloanLED Prism ¹² Nano+ (7200 K) | 701269-7W12NJ1-MB | 120 Months |
| SloanLED Prism ¹² Nano+ (6500 K) | 701269-6W12NJ1-MB | 120 Months |
| SloanLED Prism ¹² Nano+ (5000 K) | 701269-5W12NJ1-MB | 120 Months |
| SloanLED Prism ¹² Nano+ (4000 K) | 701269-4W12NJ1-MB | 120 Months |
| SloanLED Prism ¹² Nano+ (3000 K) | 701269-3W12NJ1-MB | 120 Months |
| SloanLED Prism ¹² Nano+ (Red) | 701269-RD12NJ1-MB | 120 Months |
| SloanLED Prism ¹² Nano+ (Green) | 701269-GR12NJ1-MB | 120 Months |
| SloanLED Prism ¹² Nano+ (Blue) | 701269-BL12NJ1-MB | 120 Months |
| SloanLED Prism ¹² (7100 K) | 701269-7W12SJ1-MB | 120 Months |
| SloanLED Prism ¹² (6500 K) | 701269-6W12SJ1-MB | 120 Months |
| SloanLED Prism ¹² (5000 K) | 701269-5W12SJ1-MB | 120 Months |
| SloanLED Prism ¹² (4000 K) | 701269-4W12SJ1-MB | 120 Months |
| SloanLED Prism ¹² (3000 K) | 701269-3W12SJ1-MB | 120 Months |
| SloanLED Prism ¹² (Red) | 701269-RD12SJ1-MB | 120 Months |
| SloanLED Prism ¹² (Orange) | 701269-OR12SJ1-MB | 120 Months |
| SloanLED Prism ¹² (Green) | 701269-GR12SJ1-MB | 120 Months |
| SloanLED Prism ¹² (Blue) | 701269-BL12SJ1-MB | 120 Months |

SloanLED Prism²⁴

| Product Description | Part No. | Duration |
|--|-------------------|------------|
| SloanLED Prism ²⁴ (7100 K) | 701269-7W24SJ1-MB | 120 Months |
| SloanLED Prism ²⁴ (6500 K) | 701269-6W24SJ1-MB | 120 Months |
| SloanLED Prism ²⁴ (5000 K) | 701269-5W24SJ1-MB | 120 Months |
| SloanLED Prism ²⁴ (4000 K) | 701269-4W24SJ1-MB | 120 Months |
| SloanLED Prism ²⁴ (3000 K) | 701269-3W24SJ1-MB | 120 Months |
| SloanLED Prism ²⁴ (Red) | 701269-RD24SJ1-MB | 120 Months |
| SloanLED Prism ²⁴ (Green) | 701269-GR24SJ1-MB | 120 Months |
| SloanLED Prism ²⁴ (Blue) | 701269-BL24SJ1-MB | 120 Months |
| SloanLED Prism ²⁴ Mini (7100 K) | 701269-7W24MJ1-MB | 120 Months |
| SloanLED Prism ²⁴ Mini (6500 K) | 701269-6W24MJ1-MB | 120 Months |
| SloanLED Prism ²⁴ Mini (5000 K) | 701269-5W24MJ1-MB | 120 Months |
| SloanLED Prism ²⁴ Mini (4000 K) | 701269-4W24MJ1-MB | 120 Months |
| SloanLED Prism ²⁴ Mini (3000 K) | 701269-3W24MJ1-MB | 120 Months |
| SloanLED Prism ²⁴ Mini (Red) | 701269-RD24MJ1-MB | 120 Months |
| SloanLED Prism ²⁴ Mini (Green) | 701269-GR24MJ1-MB | 120 Months |
| SloanLED Prism ²⁴ Mini (Blue) | 701269-BL24MJ1-MB | 120 Months |
| SloanLED Prism ²⁴ HO (6500 K) | 701269-6W24HJ3-MB | 120 Months |
| SloanLED Prism ²⁴ HO (5000 K) | 701269-5W24HJ3-MB | 120 Months |
| SloanLED Prism ²⁴ LP (7100 K) | 701269-7W24LJ1-MB | 120 Months |
| SloanLED Prism ²⁴ LP (6500 K) | 701269-6W24LJ1-MB | 120 Months |
| SloanLED Prism ²⁴ LP (5000 K) | 701269-5W24LJ1-MB | 120 Months |
| SloanLED Prism ²⁴ LP (4000 K) | 701269-4W24LJ1-MB | 120 Months |
| SloanLED Prism ²⁴ LP (3000 K) | 701269-3W24LJ1-MB | 120 Months |

* Warranty Period subject to all terms and conditions listed herein.

‡ 120 months begins September 12, 2018. All product prior has a 60 month warranty.

† 120 months begins August 1, 2019. All product prior has a 60 month warranty.

SloanLED Global Limited Warranty Period Schedule

Sign and Architectural Lighting

Channel Letter (cont.)

SloanLED SE

| Product Description | Part No. | Duration |
|----------------------|-----------------|-----------|
| SloanLED SE (6500 K) | 701269-6WSK1-MB | 60 Months |

SloanLED Spectrum RGB/RGBW Module

| Product Description | Part No. | Duration |
|-------------------------------|-------------------|------------|
| SloanLED Spectrum RGB Module | 701269-RGB3M1-MB | 120 Months |
| SloanLED Spectrum RGBW Module | 701269-RGBW3M1-MB | 120 Months |

V180

| Product Description | Part No. | Duration |
|------------------------|-----------------|-----------|
| V180 Large (6500 K) | 701269-6WLG1-MB | 60 Months |
| V180 Large (6500 K) | 701269-6WLG2-MB | 60 Months |
| V180 Large (5000 K) | 701269-5WLG1-MB | 60 Months |
| V180 Large (5000 K) | 701269-5WLG2-MB | 60 Months |
| V180 Standard (7200 K) | 701269-7WSG1-MB | 60 Months |
| V180 Standard (6500 K) | 701269-6WSG1-MB | 60 Months |
| V180 Standard (5000 K) | 701269-5WSG1-MB | 60 Months |
| V180 Standard (4000 K) | 701269-4WSG1-MB | 60 Months |
| V180 Standard (3000 K) | 701269-3WSG1-MB | 60 Months |
| V180 Mini (6500 K) | 701269-WLP2-MB | 60 Months |
| V180 HB Mini (6500 K) | 701269-6WVG2-MB | 60 Months |

VL Plus

| Product Description | Part No. | Duration |
|-------------------------------|-------------------|-------------|
| VL4 White (7200 K) | 701269-7W2A2-MB | 120 Months |
| VL4 White (6500 K) | 701269-6W2A2-MB | 120 Months |
| VL4 White (5000 K) | 701269-5W2A2-MB | 120 Months |
| VL4 White (4000 K) | 701269-4W2A2-MB | 120 Months |
| VL4 White (3000 K) | 701269-3W2A2-MB | 120 Months |
| VL4 Mini White (7200 K) | 701269-7W1A2-MB | 120 Months |
| VL4 Mini White (6500 K) | 701269-6W1A2-MB | 120 Months |
| VL4 Mini White (5000 K) | 701269-5W1A2-MB | 120 Months |
| VL4 Mini White (4000 K) | 701269-4W1A2-MB | 120 Months |
| VL4 Mini White (3000 K) | 701269-3W1A2-MB | 120 Months |
| VL4 Mini Red | 701269-RD1A2-MB | 120 Months |
| VL4 Mini Green | 701269-GR1A2-MB | 120 Months |
| VL4 Mini Blue | 701269-BL1A2-MB | 120 Months |
| VL4 HO White (7200 K) | 701269-7W3A1-MB | 120 Months |
| VL4 HO White (6500 K) | 701269-6W3A1-MB | 120 Months |
| VL4 HO White (5000 K) | 701269-5W3A1-MB | 120 Months |
| VL4 HO White (4000 K) | 701269-4W3A1-MB | 120 Months |
| VL4 HO White (3000 K) | 701269-3W3A1-MB | 120 Months |
| VL4 HO Red | 701269-RD3A3-MB | 120 Months |
| VL4 HO Green | 701269-GR3A3-MB | 120 Months |
| VL4 HO Blue | 701269-BL3A3-MB | 120 Months |
| VL4 Super HO White (6500 K) | 701269-6W4A1-MB | 120 Months |
| VL4 Red | 701269-RD3A(X)-MB | 120 Months |
| VL4 Green | 701269-GR3A(X)-MB | 120 Months |
| VL4 Blue | 701269-BL3A(X)-MB | 120 Months |
| VL Plus 3 White (6500 K) | 701269-6WSA3-MB | 120 Months† |
| VL Plus 3 White (5000 K) | 701269-5WSA3-MB | 120 Months† |
| VL Plus 3 White (4000 K) | 701269-4WSA3-MB | 120 Months† |
| VL Plus 3 White (3000 K) | 701269-3WSA3-MB | 120 Months† |
| VL Plus 3 Mini White (6500 K) | 701269-6WMA3-MB | 120 Months† |
| VL Plus 3 Mini White (5000 K) | 701269-5WMA3-MB | 120 Months† |
| VL Plus 3 Mini White (4000 K) | 701269-4WMA3-MB | 120 Months† |

VL Plus (cont.)

| Product Description | Part No. | Duration |
|-----------------------------------|-----------------|-------------|
| VL Plus 3 HO White (6500 K) | 701269-6WHA3-MB | 120 Months† |
| VL Plus 3 HO White (5000 K) | 701269-5WHA3-MB | 120 Months† |
| VL Plus 3 Red | 701269-RDSA3-MB | 120 Months† |
| VL Plus 3 Green | 701269-GRSA3-MB | 120 Months† |
| VL Plus 3 Blue | 701269-BLSA3-MB | 120 Months† |
| VL Plus 2 White Long (6500 K) | 701269-6WLA2-MB | 60 Months |
| VL Plus 2 White Short (7200 K) | 701269-7WSA2-MB | 60 Months |
| VL Plus 2 White Short (6500 K) | 701269-6WSA2-MB | 60 Months |
| VL Plus 2 White Short (5000 K) | 701269-5WSA2-MB | 60 Months |
| VL Plus 2 White Short (4000 K) | 701269-4WSA2-MB | 60 Months |
| VL Plus 2 White Short (3000 K) | 701269-3WSA2-MB | 60 Months |
| VL Plus 2 White Mini (6500 K) | 701269-6WMA2-MB | 60 Months |
| VL Plus White Long (6500 K) | 701269-WVLL-MB | 60 Months |
| VL Plus White Short (7200 K) | 701269-7WSA1-MB | 60 Months |
| VL Plus White Short (6500 K) | 701269-WVLS-MB | 60 Months |
| VL Plus White Short (5000 K) | 701269-5WSA1-MB | 60 Months |
| VL Plus White Short (4000 K) | 701269-4WSA1-MB | 60 Months |
| VL Plus White Short (3000 K) | 701269-3WSA1-MB | 60 Months |
| VL Plus 2 White HB Short (6500 K) | 701269-6WHA1-MB | 60 Months |
| VL Plus White Mini (6500 K) | 701269-WVLM-MB | 60 Months |
| VL Plus Red Long | 701269-RVLL-MB | 60 Months |
| VL Plus Red Short | 701269-RVLS-MB | 60 Months |
| VL Plus Orange Short | 701269-ORSA1-MB | 60 Months |
| VL Plus Yellow Short | 701269-YLSA1-MB | 60 Months |
| VL Plus Green Short | 701269-GRSA1-MB | 60 Months |
| VL Plus Blue Short | 701269-BLSA1-MB | 60 Months |

V Series

| Product Description | Part No. | Duration |
|---------------------------|-----------------|-----------|
| V Series Red | 701269-RLP-MB | 60 Months |
| V Series Red/Orange | 701269-ROLP-MB | 60 Months |
| V Series Orange | 701269-OLP-MB | 60 Months |
| V Series Yellow | 701269-YLP-MB | 60 Months |
| V Series Green | 701269-GLPZ-MB | 60 Months |
| V Series Blue | 701269-BLP-MB | 60 Months |
| V Series White (7200 K) | 701269-WLPY-MB | 60 Months |
| V Series White (4200 K) | 701269-WWLPY-MB | 60 Months |
| V Series 2 White (7200 K) | 701269-WV2-MB | 60 Months |

* Warranty Period subject to all terms and conditions listed herein.

† 120 months begins September 12, 2018. All product prior has a 60 month warranty.

SloanLED Global Limited Warranty Period Schedule

Sign and Architectural Lighting

Sign Cabinet/Box

PosterBOX

| Product Description | Part No. | Duration* |
|----------------------------|------------------|-------------------------|
| PosterBOX (6500 K) | 701946-CWPBM | 120 Months [‡] |
| PosterBOX (5000 K) | 701946-NWPBM | 120 Months [‡] |
| PosterBOX Slim | 701946-(C)WXP1 | 120 Months [‡] |
| PosterBOX Slim 2 | 701946-(C)WXP(X) | 120 Months [‡] |
| PosterBOX 3 Long (6500 K) | 701946-6WLRP1 | 120 Months [‡] |
| PosterBOX 3 Short (6500 K) | 701946-6WSRP1 | 120 Months [‡] |
| PosterBOX Mini | 701946-6WMLP1 | 120 Months [‡] |
| PosterBOX ID Short | 701946-6WSNP1 | 120 Months [‡] |
| PosterBOX ID Long | 701946-6WLN1 | 120 Months [‡] |

SignBOX

| Product Description | Part No. | Duration* |
|-------------------------|-----------------|-------------------------|
| SignBOX | 701946-CWSBL | 120 Months [‡] |
| SignBOX II Single-sided | 701946-(C)WS201 | 60 Months |
| SignBOX II Double-sided | 701946-(C)WD201 | 60 Months |
| SignBOX 3 Single-sided | 701946-(C)WSLS1 | 120 Months [‡] |
| SignBOX 3 Double-sided | 701946-(C)WDLS1 | 120 Months [‡] |
| SignBOX 3 Module | 701946-(C)WSLT1 | 120 Months [‡] |
| SignBOX 3 Slim | 701946-6WDLS2 | 120 Months [‡] |

SignBOX RapidStick

| | | |
|--|------------------|-----------|
| SignBOX RapidStick (6500 K) 18-120" (0.46-3.05 m) | 701972-6WD(XXX)1 | 60 Months |
|--|------------------|-----------|

SloanLED BrightLINE

| | | |
|------------------------------------|----------------|-----------|
| SloanLED BrightLINE Long (6500 K) | 701989-6W24SA1 | 60 Months |
| SloanLED BrightLINE Short (6500 K) | 701989-6W24CA1 | 60 Months |

SloanLED BrightLINE 2

| | | |
|--------------------------------|------------------|-----------|
| SloanLED BrightLINE 2 Long | 701989-(C)W24LB1 | 60 Months |
| SloanLED BrightLINE 2 Short | 701989-(C)W24SB1 | 60 Months |
| SloanLED BrightLINE 2 LP Long | 701989-(C)W24LB2 | 60 Months |
| SloanLED BrightLINE 2 LP Short | 701989-(C)W24SB2 | 60 Months |

SloanLED BrightLINE Outdoor

| | | |
|-----------------------------------|----------------|-----------|
| SloanLED BrightLINE Outdoor Long | 701989-6W24LC1 | 60 Months |
| SloanLED BrightLINE Outdoor Short | 701989-6W24SC1 | 60 Months |

SloanLED PrismBEAM

| | | |
|--|-------------------|-------------------------|
| SloanLED PrismBEAM (Single-sided) 18-120" (0.46-3.05 m) | 701972-6WPS(XXX)1 | 120 Months [‡] |
| SloanLED PrismBEAM (Double-sided) 18-120" (0.46-3.05 m) | 701972-6WPD(XXX)1 | 120 Months [‡] |

SloanLED PrismBEAM 24V

| Product Description | Part No. | Duration* |
|--|---------------------|-------------------------|
| SloanLED PrismBEAM 24V (Single-sided) 18-120" (0.46-3.05 m) | 701972-6WPS(XXX)2 | 120 Months [‡] |
| SloanLED PrismBEAM 24V (Double-sided) 18-120" (0.46-3.05 m) | 701972-(X)WPD(YYY)2 | 120 Months [‡] |
| SloanLED PrismBEAM 24V (Double-sided) 18-120" (0.46-3.05 m) | 701972-(X)WPD(YYY)3 | 120 Months [‡] |
| SloanLED PrismBEAM ²⁴ (Single-sided) 18-120" (0.46-3.05 m) | 701972-6W24PS(XXX)1 | 120 Months [‡] |
| SloanLED PrismBEAM ²⁴ (Double-sided) 18-120" (0.46-3.05 m) | 701972-6W24PD(XXX)1 | 120 Months [‡] |

Border Tubing/Accent

ColorLINE

| Product Description | Part No.† | Duration* |
|--------------------------------------|-----------------|-----------|
| Red, Orange, Yellow, Green, | 701800-Color-X | 60 Months |
| Green, White, Warm White | 701800-Color-X | 60 Months |
| Warm White | 701800A-Color-X | 60 Months |
| Green, Blue | 701800A-Color-X | 60 Months |
| Ruby Red, Citrus Orange, Noviol Gold | 701800C-Color-X | 60 Months |
| Emerald Green, Bromo Blue | 701800C-Color-X | 60 Months |
| Red, Orange, Yellow, Green, Blue | 701800D-Color-X | 60 Months |

FlexiBRITE

| Product Description | Part No. † | Duration* |
|---------------------------------------|-----------------|-----------|
| Ruby Red, Orange, Yellow | 701499-Color-X | 60 Months |
| Green, Blue | 701499-Color-X | 60 Months |
| Citrus Orange, Noviol Gold | 701499C-Color-X | 60 Months |
| Emerald Green, Bromo Blue, Snow White | 701499D-Color-X | 60 Months |

FlexiBRITE²⁴

| Product Description | Part No. † | Duration* |
|---------------------------------------|-----------------|-----------|
| Ruby Red, Citrus Orange, Noviol Gold | 701499E-Color-X | 60 Months |
| Emerald Green, Bromo Blue, Snow White | | |

LEDStripe

| Product Description | Part No. | Duration |
|---------------------|----------------|-----------|
| Red | 701189-XH | 60 Months |
| Pink | 701189-PK-X | 60 Months |
| Orange | 701189-A-XD | 60 Months |
| Amber | 701189-Y-XD | 60 Months |
| True Yellow | 701189-YT-X | 60 Months |
| Lemon Yellow | 701189E-WY-XD | 60 Months |
| Green | 701189A-G-X | 60 Months |
| Green | 701189D-G-X | 60 Months |
| Blue | 701189A-B-XD | 60 Months |
| Purple | 701189-PR-X | 60 Months |
| White (6500 K) | 701189E-W-XD | 60 Months |
| Custom Colors | 701189-Color-X | 60 Months |

Shell RedBar

| Product Description | Part No. | Duration* |
|----------------------------|---------------|------------|
| Shell RedBar, 8.9' (2.7 m) | 701801-2WRM41 | 120 Months |
| Shell RedBar, 4.4' (1.3 m) | 701801-2WRS41 | 120 Months |

SloanLED Shell Mini RedBar

| Product Description | Part No. | Duration |
|---|--------------------|-----------|
| SloanLED Shell Mini Redbar, Fixed, 4.6' (1.4 m) | 701996-4WRYF1-1400 | 60 Months |
| SloanLED Shell Mini Redbar, Fixed, 8.9' (2.7 m) | 701996-4WRYF1-2700 | 60 Months |
| SloanLED Shell Mini Redbar, Adjustable, 8.9' (2.7 m) | 701996-4WRYA1-2700 | 60 Months |

* Warranty Period subject to all terms and conditions listed herein.

† "X" in part number denotes size (where multiple sizes are available).

All sizes are covered under the warranty stated.

‡ 120 months begins September 12, 2018. All product prior has a 60 month warranty.

SloanLED Global Limited Warranty Period Schedule

Sign and Architectural Lighting

Linear Lighting

HighLINER

| Product Description | Part No. | Duration* |
|--------------------------------|------------------|------------|
| HighLINER, 5000K, 4' (1.2 m) | 701912 | 60 Months |
| HighLINER, 6500K, 4' (1.2 m) | 701912-65 | 60 Months |
| HighLINER 2, 5000K, 4' (1.2 m) | 701912-C1I75 | 60 Months |
| HighLINER 2, 5000K, 1' (0.3 m) | 701912-L1C1I75 | 60 Months |
| HighLINER 2, 3500K, 4' (1.2 m) | 701912-35C2I75 | 60 Months |
| HighLINER 2, 3500K, 1' (0.3 m) | 701912-L135C2I75 | 60 Months |
| HighLINER 3, 4000K, 1' (0.3 m) | 701912-L140C3I18 | 120 Months |
| HighLINER 3, 4000K, 2' (0.6 m) | 701912-L240C3I18 | 120 Months |
| HighLINER 3, 4000K, 4' (1.2 m) | 701912-L440C3I18 | 120 Months |
| HighLINER 3, 4000K, 6' (1.8 m) | 701912-L640C3I18 | 120 Months |
| HighLINER 3, 4000K, 8' (2.4 m) | 701912-L840C3I18 | 120 Months |
| HighLINER 3, 5000K, 1' (0.3 m) | 701912-L150C3I18 | 120 Months |
| HighLINER 3, 5000K, 2' (0.6 m) | 701912-L250C3I18 | 120 Months |
| HighLINER 3, 5000K, 4' (1.2 m) | 701912-L450C3I18 | 120 Months |
| HighLINER 3, 5000K, 6' (1.8 m) | 701912-L650C3I18 | 120 Months |
| HighLINER 3, 5000K, 8' (2.4 m) | 701912-L850C3I18 | 120 Months |
| 100 W, 24 VDC Power Supply | 701895-24C | 60 Months |
| Clip | 400686 | 60 Months |
| Wire Cover | 400860 | 60 Months |

SlimLINER

| Product Description | Part No. | Duration* |
|---------------------|---------------|-----------|
| SlimLINER, 5000 K | 701956-5WL461 | 60 Months |
| SlimLINER, 3500 K | 701956-3WL461 | 60 Months |

SloanLED LEDBlade

| Product Description | Part No. | Duration* |
|---------------------|---------------|------------|
| SloanLED LEDBlade | 701994-6WA5X1 | 120 Months |

Power Supplies

Power Supplies

Power Supplies – 12 VDC

| Product Description | Part No. | Duration* |
|-----------------------|---------------|-----------|
| Self-Contained 20 W | 701680 | 60 Months |
| Compact 12/25 W | 410174 | 60 Months |
| 60C1 60 W | 701507-60C1 | 60 Months |
| 60C2 60 W | 701507-60C2 | 60 Months |
| 60C3 60 W | 701507-60C3 | 60 Months |
| 60C3D 60 W, dimmable* | 701507-60C3D | 60 Months |
| 60L1 60 W | 701507-60L1 | 36 Months |
| 60W1 60 W | 701507-60W1 | 60 Months |
| 60W2 60 W | 701507-60W2 | 60 Months |
| 60W3 60 W | 701507-60W3 | 60 Months |
| 60W4 60 W | 701507-60W4 | 60 Months |
| 60W2E 60 W | 701507-60W2E | 60 Months |
| 120D1 120 W | 701507-120D1 | 60 Months |
| MODW 60 W | 701507-MODW | 60 Months |
| MODWE 60 W | 701507-MODWE | 60 Months |
| MOD277 60 W | 701507-MOD277 | 60 Months |
| Quantum 30 W* | 701507-30E1 | 60 Months |
| Quantum 60 W* | 701507-60E1 | 60 Months |
| Quantum 100 W* | 701507-100E1 | 60 Months |
| Quantum 150 W* | 701507-150EB1 | 60 Months |

Power Supplies – 24 VDC

| Product Description | Part No. | Duration* |
|-----------------------|---------------|-----------|
| 24 VDC 100 W | 701895-24C | 60 Months |
| 24 VDC 100 W | 701895-24C1 | 60 Months |
| 24 VDC 100 W | 701936 | 60 Months |
| 24S1 100 W | 701895-24S1 | 60 Months |
| 24S2 100 W | 701895-24S2 | 60 Months |
| 24S2D 100 W, dimmable | 701895-24S2D | 60 Months |
| 60S1 60 W | 701895-60S1 | 60 Months |
| 60S1D 60 W, dimmable | 701895-60S1D | 60 Months |
| 100L1, 100 W | 701895-100L1 | 60 Months |
| 100L1D, dimmable | 701895-100L1D | 60 Months |
| 300T1 300 W | 701895-300T1 | 60 Months |
| Compact 24/40 W* | 410175 | 60 Months |
| Quantum 30 W* | 701895-30E1 | 60 Months |
| Quantum 60 W* | 701895-60E1 | 60 Months |
| Quantum 100 W* | 701895-100E1 | 60 Months |
| Quantum 150 W* | 701895-150E1 | 60 Months |

Power Supply Accessories

| Product Description | Part No. | Duration* |
|--|----------|-----------|
| Universal Primary Wire Enclosure (Gen 1) | 402218 | 60 Months |
| Universal Primary Wire Enclosure (Gen 2) | 403008 | 60 Months |

Dimming Solutions

| Product Description | Part No. | Duration* |
|-------------------------------|----------|-----------|
| Dimming Control Box | 701843 | 60 Months |
| Dimming Module | 701817 | 60 Months |
| Universal LED Wireless Dimmer | 601115 | 60 Months |
| Universal Dimming Controller | 701666 | 60 Months |

* Warranty Period subject to all terms and conditions listed herein.

¥ For EU/ROW installations only. Not intended for North American installations.

SloanLED Global Limited Warranty Period Schedule

PAGE 13 OF 13

Spa Lighting

Bullet Lights

| Product Description | Part No. | Duration* |
|-----------------------------------|---------------|-----------|
| Hexa-LED Bullet | 701564-6-DLO | 36 Months |
| Quad-LED Bullet | 701564-4-F | 36 Months |
| Dual-LED Bullet | 701564-2-F | 36 Months |
| Single-LED Bullet | 701564-1-F | 36 Months |
| Quad-LED Bullet, extra long leads | 701564-4-F-XL | 36 Months |
| Quad-LED Bullet, extended length | 701564-4-F-38 | 36 Months |
| Bullet Lens | 400372 | 36 Months |
| Bullet Nut | 400338 | 36 Months |
| O-Ring, .364 IDX .070 CS | 400417 | 36 Months |
| O-Ring, .362 IDX .130 CS | 400510 | 36 Months |

Cluster Main Lights

| Product Description | Part No. | Duration* |
|---------------------|-----------------|-----------|
| 21-LED Cluster | 701570-21-DLSO | 36 Months |
| 18-LED Cluster | 701570-18-DLSO | 36 Months |
| 14-LED Cluster | 701570-14-DLSO | 36 Months |
| 12-LED Cluster | 701570-12-DLSO | 36 Months |
| 7-LED Cluster | 701570-7-DLSO-S | 36 Months |
| 6-LED Cluster | 701570-6-DLSO-S | 36 Months |

Perimeter and Skirt Lights

| Product Description | Part No. | Duration* |
|-----------------------------|------------------|-----------|
| 6' Premium Perimeter String | 701755-M4-18-DLO | 36 Months |
| Skirt Light | 701787 | 36 Months |
| LiquaLED Strip Light, 22" | 701963-RGB-4P-22 | 36 Months |
| LiquaLED Strip Light, 81" | 701963-RGB-4P-81 | 36 Months |

Controllers

| Product Description | Part No. | Duration* |
|---------------------------------------|------------|-----------|
| Multi-Zone Controller | 701898-DLO | 36 Months |
| Control 40 | 701678-DLO | 36 Months |
| Control 20 | 701931-DLO | 36 Months |
| 9-LED Mini UltraBrite Light w/ Bi-Pin | 701861-9-P | 36 Months |

UltraBRITE LED Light

| Product Description | Part No. | Duration* |
|-------------------------|--------------|-----------|
| 12-LED UltraBRITE Light | 701739-SAOX1 | 36 Months |

Accessories

| Product Description | Part No. | Duration* |
|---------------------|-------------|-----------|
| 2' Jumper Cable | 410117-24-O | 36 Months |
| 5' Jumper Cable | 410117-60-O | 36 Months |

Classical Lighting

Classical Lighting Products

| Product Description | Part No. | Duration* |
|---------------------|------------------|-----------|
| Indicator lights | All part numbers | 60 months |

* Warranty Period subject to all terms and conditions listed herein.

Customer service and technical support

SloanLED Headquarters

5725 Olivas Park Drive, Ventura, CA, USA
888.747.4LED (888.747.4533) • info@SloanLED.com

SloanLED.com

SloanLED Europe b.v.

Argonstraat 110, 2718 SN Zoetermeer, NL
+31 88 12 44 900 • europe@SloanLED.com



800.253.1569 | wensco.com

